

# Slush-Granita Machine

**Top-Rated by Consumers**



**Cocktails For a Song**

PO Box 817 Mt Eliza Vic 3930

TEL : 0418-344-048

WEB : [www.cocktailsforasong.com.au](http://www.cocktailsforasong.com.au) E-mail : [frozencocktails@optusnet.com.au](mailto:frozencocktails@optusnet.com.au)



## SSM-180

Voltage Option  
208~230V-60Hz  
220~240V50Hz  
115V-60Hz

Certified and/or Listed by :



### **Dimension**

213 x 475 x 832 mm / 8.4 x 18.7 x 32.8 inch

### **Weight**

30Kg / 66.1lbs

### **Mixing Tank Material**

Non-Poisonous P.C

### **Mixing Tank Capacity**

9000cc x 1EA / 2.38Gallon x 1EA

### **Exterior**

Durable Stainless Steel

### **Insulation Material**

High Density Urethane Foam

### **Power Consumption**

320W

### **Geared Motor**

67W x 1EA

### **Condenser**

Air-Cooled

### **Evaporator**

Drum Type with Tubes

### **Refrigeration Controlled by**

TORQUE (Freezing) + TC (Cooling) Control

### **Refrigerant**

R134A

### **Production Capacity**

50Cups/Hour (100CC / 3.50z)

### **Compressor**

0.35HP



## SSM-280

Voltage Option  
208~230V-60Hz  
220~240V50Hz  
115V-60Hz

Certified and/or Listed by :



### **Dimension**

400 x 480 x 895 mm / 15.7 x 18.9 x 35.2 inch

### **Weight**

52Kg / 114.6lbs

### **Mixing Tank Material**

Non-Poisonous P.C

### **Mixing Tank Capacity**

9000cc x 2EA / 2.38Gallon x 2EA

### **Exterior**

Durable Stainless Steel

### **Insulation Material**

High Density Urethane Foam

### **Power Consumption**

1,020W

### **Geared Motor**

67W x 2EA

### **Condenser**

Air-Cooled

### **Evaporator**

Drum Type with Tubes

### **Refrigeration Controlled by**

TORQUE (Freezing) + TC (Cooling) Control

### **Refrigerant**

R404A

### **Production Capacity**

100Cups/Hour (100CC / 3.50z)

### **Compressor**

0.85HP





## SSM-420

Voltage Option  
208~230V-60Hz  
220~240V50Hz  
115V-60Hz

Certified and/or Listed by :



### Dimension

603 x 480 x 832 mm / 23.7 x 18.9 x 32.8 inch

### Weight

80Kg / 176.4lbs

### Mixing Tank Material

Non-Poisonous P.C

### Mixing Tank Capacity

9000cc x 3EA / 2.38Gallon x 3EA

### Exterior

Durable Stainless Steel

### Insulation Material

High Density Urethane Foam

### Power Consumption

1,350W

### Geared Motor

67W x 3EA

### Condenser

Air-Cooled

### Evaporator

Drum Type with Tubes

### Refrigeration Controlled by

TORQUE (Freezing) + TC (Cooling) Control

### Refrigerant

R404A

### Production Capacity

150Cups/Hour (100CC / 3.50z)

### Compressor

0.9HP



## SSM-560

Voltage Option  
208~230V-60Hz  
220~240V50Hz

Certified and/or Listed by :



### Dimension

800 x 480 x 1,680 mm / 31.5 x 18.9 x 66.1 inch

### Weight

160Kg / 353lbs

### Mixing Tank Material

Non-Poisonous P.C

### Mixing Tank Capacity

9000cc x 4EA / 2.38Gallon x 4EA

### Exterior

Durable Stainless Steel

### Insulation Material

High Density Urethane Foam

### Power Consumption

2,000W

### Geared Motor

67W x 4EA

### Condenser

Air-Cooled

### Evaporator

Drum Type with Tubes

### Refrigeration Controlled by

TORQUE (Freezing) + TC (Cooling) Control

### Refrigerant

R404A

### Production Capacity

100Cups/Hour (100CC / 3.50z)

### Compressor

1.7HP (0.85HP x 2EA)